


THIS DOCUMENT CONTAINS DATA WHICH IS PROPRIETARY OR CONFIDENTIAL TO CIAO WIRELESS. THIS DOCUMENT AND THE DATA CONTAINED HEREIN SHALL NOT BE USED, DUPLICATED, OR ALTERED WITHOUT THE EXPRESSED WRITTEN CONSENT OF CIAO WIRELESS. ALL RIGHTS ARE RESERVED.

REVOLUTIONS		ECO#	DATE	APPROVED
ZONE	REV			
A	RELEASED			



- NOTES:
1. SMA CONNECTORS CAN BE REMOVED FOR "DROP-IN" APPLICATIONS, EXPOSING $\varnothing 0.018 \times 0.10$ LONG PINS.
 2. THIS COMPONENT DISSIPATES HEAT WHEN OPERATING. TO ENSURE ADEQUATE MARGIN FOR RELIABILITY, THIS COMPONENT MUST BE ATTACHED TO A HEATSINK. CONSULT FACTORY FOR APPROPRIATE HEATSINK SURFACE AREA. THERMAL GREASE IS RECOMMENDED.
 3. MARK LABEL WITH MODEL NUMBER AND SERIAL NUMBER AS DEFINED BY TRAVELLER.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES. TOLERANCES ARE: FRACTIONS: DECIMALS: HOLES: ANGLES: $\pm 1/64$.XX ± 0.020 .XX ± 0.030 $\pm 0.30'$ MACHINED FINISH: .32 RMS REMOVE BURRS .005 MAX		CONTRACT NO.		CIAO WIRELESS 4000 VIA PESCADOR CAMARILLO CA, 93012	
MATERIAL ALUMINUM 6061-T6		APPROVALS			
FINISH ELECTROLESS NICKEL PER MIL-C-26074 CLASS 4 GRADE B .0005 \pm .0001 MAX		DRAWN: A. ROQUE		DRAWING NO. 10/03/14	
NEXT ASSY		USED ON		SIZE B 3DJK4	
APPLICATION DO NOT SCALE DRAWING		QUALITY ASSURANCE		DWG. NO. 30680	
		MANUFACTURING		SCALE 1/1	
				SHEET 1 OF 1	

30680

SHEET 1 OF 1